

JOURNAL OF NEMATOLOGY
Official Journal of
THE SOCIETY OF NEMATOLOGISTS

VOLUME 19

Quarterly in

1987

Editor-in-Chief

ROBERT D. RIGGS

Editorial Board

John H. O'Bannon	Harry K. Kaya
Roger V. Anderson	David J. Chitwood
Richard S. Hussey	E. Mae Noffsinger
Don W. Dickson	

Associate Editors

Ernest Bernard	Robert T. Robbins
Robert I. Bolla	Jon D. Eisenback
Bruce A. Jaffee	Renato N. Inserra
Edward C. McGawley	Rosemary Loria
James P. Noe	Donald P. Schmitt
James J. Petersen	Grover C. Smart, Jr.

Technical Editor

Kathleen K. Leabo

CONTENTS

JOURNAL OF NEMATOLOGY

Vol. 19, No. 1

January 1987

Cytogenetic Status of <i>Meloidogyne</i> (<i>Hypsoperine</i>) <i>spartinae</i> in Relation to Other <i>Meloidogyne</i> Species: A. C. TRIANTAPHYLLOU	1
Enzymatic Relationships and Evolution in the Genus <i>Meloidogyne</i> (Nematoda: Tylenchida): P. R. ESBENSHADE AND A. C. TRIANTAPHYLLOU	8
Relationship Between Morphology and Parasitism in Two Populations of <i>Meloidogyne incognita</i> : M. CANTO-SAÉNZ AND B. B. BRODIE	19
Nicotine Content of Tobacco Roots and Toxicity to <i>Meloidogyne incognita</i> : ERIC L. DAVIS AND J. R. RICH	23
Evaluation of Cultivars, Experimental Lines and Plant Introduction Collection of Sainfoin for Resistance to <i>Meloidogyne hapla</i> Chitwood: D. S. WOFFORD AND F. A. GRAY	30
Root-knot Nematode Management and Yield of Soybean as Affected by Winter Cover Crops, Tillage Systems, and Nematicides: N. A. MINTON AND M. B. PARKER	38
Relative Susceptibility of Four Pine Species to Infection by Pinewood Nematode: M. J. LINIT AND H. TAMURA	44
Carbohydrate Concentration in Pine as Affected by Inoculation with <i>Bursaphelenchus xylophilus</i> : R. I. BOLLA, K. FITZSIMMONS, AND R. E. K. WINTER	51
Descriptions of Two New Species of <i>Tylenchorhynchus</i> Cobb, 1913 (Nematoda: Tylenchida), with Details on Morphology and Variation of <i>T. claytoni</i> : A. MORGAN GOLDEN, M. A. MAQBOOL, AND ZAFAR A. HANDOO	58
New Records of <i>Paratylenchus</i> Micoletzky, 1922 from Brazil with Descriptions of Two New Species (Tylenchulidae: Nemata): CHAW SHUNG HUANG AND DEWEY J. RASKI	69
Revised Host Range and Studies on the Life Cycle of <i>Longidorus africanus</i> : CRAIG KOLODGE, JOHN D. RADEWALD, AND FUJIO SHIBUYA	77
<i>Hirschmanniella</i> spp. in Rice Fields of Vietnam: NGUYEN B. KHUONG	82
Influence of Edaphic Factors and Previous Crop on <i>Pratylenchus</i> spp. Population Densities in Potato: D. A. FLORINI, R. LORIA, AND J. B. KOTCON	85
Effects of Soil Solarization on <i>Rotylenchulus reniformis</i> in the Lower Rio Grande Valley of Texas: C. M. HEALD AND A. F. ROBINSON	93
Extraction of Cyst Nematodes from Organic Soils: J. A. LAMONDIA AND B. B. BRODIE	104
Nematode-Degree Days, a Density-Time Model for Relating Epidemiology and Crop Losses in Perennials: J. W. NOLING AND H. FERRIS	108

Movement of Potato Root Diffusate Through Soil: DENISE RAWSTHORNE AND B. B. BRODIE	119
In Vivo Growth of <i>Romanomermis culicivorax</i> : Biochemical Changes During Parasitism: ROBIN M. GIBLIN AND EDWARD G. PLATZER	123
RESEARCH NOTES	
Usefulness of Egg Assays in Nematode Population-Density Determinations: K. R. BARKER, J. L. STARR, AND D. P. SCHMITT	130
Water Absorbent Polymer Aids in the Infestation of Field Sites with <i>Meloidogyne</i> Eggs: B. A. FORTNUM, R. E. CURRIN III, AND J. P. KRAUSZ	135
Coastal Bermudagrass Rotations for Control of Root-knot Nematodes: G. W. BURTON AND A. W. JOHNSON	138
Effects of Soil Disturbance on Reproduction of <i>Heterodera glycines</i> : LAW- RENCE D. YOUNG	141
<i>Longidorus breviannulatus</i> as a Vector for Brome Mosaic Virus: DONNA E. HUFF, ROBERT F. DAVIS, AND RONALD F. MYERS	143

Vol. 19, No. 2**April 1987**

<i>Hirschmanniella pomponiense</i> n. sp. (Nemata: Pratylenchidae), Parasitic on Bulrush, <i>Scirpus robustus</i> Pursh: FAWZIA ABDEL-RAHMAN AND A. R. MAGGENTI	147
Vertical Migration of <i>Meloidogyne chitwoodi</i> and <i>M. hapla</i> under Controlled Temperature: J. N. PINKERTON, H. MOJTAHEDI, G. S. SANTO, AND J. H. O'BANNON	152
Morphometric Analysis of <i>Anguina amsinckiae</i> from Three Host Species: DAN JAMES PANTONE, JOHN A. GRIESBACH, AND A. R. MAGGENTI	158
Anhydrobiosis in <i>Pratylenchus penetrans</i> and <i>Tylenchorhynchus</i> n. sp. in Cul- tivated Soils Cropped to Winter Rye: J. L. TOWNSHEND	164
Decline of <i>Globodera rostochiensis</i> as Influenced by Potato Root Diffusate Movement and Persistence in Soil: J. A. LAMONDIA, DENISE RAWSTHORNE, AND B. B. BRODIE	172
Structural Changes Associated with Resistance of Soybean to <i>Heterodera</i> <i>glycines</i> : Y. H. KIM, R. D. RIGGS, AND K. S. KIM	177
Sensitivity of Acetylcholinesterases from <i>Aphelenchus avenae</i> to Organo- phosphorous and Carbamate Pesticides: D. J. PREE, J. L. TOWNSHEND, AND D. E. ARCHIBALD	188
Effective Use of Marine Algal Products in the Management of Plant-Para- sitic Nematodes: SURINDAR PARACER, ARMEN C. TARJAN, AND LYNN M. HODGSON	194
Soil Applications of Steinernematid and Heterorhabditid Nematodes for Control of Colorado Potato Beetles, <i>Leptinotarsa decemlineata</i> (Say): ROBERT J. WRIGHT, FERNANDO AGUDELO-SILVA, AND RAMON GEORGIS	201

Meloidogyne californiensis n. sp. (Nemata: Meloidogyninae), Parasitic on Bulrush, *Scirpus robustus* Pursh: FAWZIA ABDEL-RAHMAN AND A. R. MAGGENTI 207

Comparison of Compatible and Incompatible Response of Potato to *Meloidogyne incognita*: M. CANTO-SAENZ AND B. B. BRODIE 218

Biological Control of *Meloidogyne incognita* by *Paecilomyces lilacinus* and *Pasteuria penetrans*: BENJAMIN DUBE AND GROVER C. SMART, JR. 222

Effect of *Criconemella onoensis* on Potato: R. MCSORLEY, J. L. PARRADO, R. V. TYSON, AND J. S. REYNOLDS 228

Galling and Yields of Soybean Cultivars Grown in *Meloidogyne arenaria*-Infested Soil: R. A. KINLOCH, C. K. HIEBSCH, AND H. A. PEACOCK 233

Response of Soybean to *Heterodera glycines* Races 1 and 2 in Different Soil Types: D. P. SCHMITT, H. FERRIS, AND K. R. BARKER 240

Nonhost Root Penetration by Soybean Cyst Nematode: R. D. RIGGS 251

RESEARCH NOTES

A Semi-selective Medium for the Isolation of *Paecilomyces lilacinus* from Soil: D. J. MITCHELL, M. E. KANNWISCHER-MITCHELL, AND D. W. DICKSON 255

Movement of the Entomogenous Nematodes of the Families Heterorhabditidae and Steinernematidae in Soil: W. J. SCHROEDER AND J. B. BEAVERS 257

Subanguina calamagrostis and Its Biology in *Calamagrostis* spp. in Iowa, Ohio, and Wisconsin: DON C. NORTON, ANITA M. CODY, AND AUDREY WACHA GABEL 260

Heterorhabditis heliothidis: A Potential Biological Control Agent of House Flies in Caged-Layer Poultry Barns: P. BELTON, T. A. RUTHERFORD, D. B. TROTTER, AND J. M. WEBSTER 263

Vol. 19, No. 3

July 1987

Effects of Environmental Factors and Cultural Practices on Parasitism of Alfalfa by *Ditylenchus dipsaci*: G. D. GRIFFIN 267

Glyoxylate Pathway in the Free-Living Stages of the Entomophilic Nematode *Romanomermis culicivorax*: ROGER GORDON 277

Changes in Morphology of *Trichostrongylus colubriformis* Eggs and Juveniles Caused by *Bacillus thuringiensis israelensis*: KURT P. BOTTJER AND LEON W. BONE 282

Escape of *Steinernema feltiae* from Alginate Capsules Containing Tomato Seeds: HARRY K. KAYA, CATHARINE M. MANNION, T. M. BURLANDO, AND C. E. NELSEN 287

Survival and Movement of Insect Parasitic Nematodes in Poultry Manure and Their Infectivity Against *Musca domestica*: RAMON GEORGIS, BRADLEY A. MULLENS, AND JEFFERY A. MEYER 292

Effect of Initial Population Density of <i>Criconebella xenoplax</i> on Reducing Sugars, Free Amino Acids, and Survival of Peach Seedlings over Time: A. P. NYCZEPIR, C. C. REILLY, AND W. R. OKIE	296
Characterization of a Nonparasitic Isolate of <i>Bursaphelenchus xylophilus</i> : R. I. BOLLA, C. WEAVER, P. KOSLOWSKI, K. FITZSIMMONS, AND R. E. K. WINTER	304
<i>Tetradonema solenopsis</i> n. sp. (Nematoda: Tetradonematidae) Parasitic on the Red Imported Fire Ant <i>Solenopsis invicta</i> Buren from Brazil: W. R. NICKLE AND D. P. JOUVENAZ	311
Morphological Comparison and Taxonomic Utility of Copulatory Structures of Selected Nematode Species: ABDALLAH RAMMAH AND HEDWIG HIRSCHMANN	314
Effect of <i>Meloidogyne incognita</i> on Plant Nutrient Concentration and Its Influence on the Physiology of Beans: H. MELAKEBERHAN, J. M. WEBSTER, R. C. BROOKE, J. M. D'AURIA, AND M. CACKETTE	324
Control of Root-knot Nematodes on Tomato by Lectins: N. MARBAN-MENDOZA, A. JEYAPRAKASH, H.-B. JANSSEN, R. A. DAMON, JR., AND B. M. ZUCKERMAN	331
Population Density and Spatial Pattern of <i>Heterodera glycines</i> in Relation to Soybean Phenology: D. G. ALSTON AND D. P. SCHMITT	336
Interaction between <i>Meloidogyne incognita</i> and <i>Hoplolaimus columbus</i> on Davis Soybean: DONNELL W. GUY, JR., AND S. A. LEWIS	346
Sterol Composition and Ecdysteroid Content of Eggs of the Root-knot Nematodes <i>Meloidogyne incognita</i> and <i>M. arenaria</i> : DAVID J. CHITWOOD, MICHAEL A. MCCLURE, MARK F. FELDLAUER, WILLIAM R. LUSBY, AND JAMES E. OLIVER	352
<i>Pratylenchus penetrans</i> Population Dynamics on Three Potato Cultivars: J. B. KOTCON, R. LORIA, AND D. J. WIXTED	361
Seasonal Population Fluctuation of <i>Xiphinema americanum</i> and <i>X. rivesi</i> in New York and Pennsylvania Orchards: B. A. JAFFEE, M. B. HARRISON, R. L. SHAFFER, AND M. B. STRANG	369
Effect of <i>Ditylenchus dipsaci</i> and <i>Pratylenchus penetrans</i> on Verticillium Wilt of Alfalfa: T. C. VRAIN	379
RESEARCH NOTES	
Evaluation of the Utility of a Stylet Extraction Technique for Understanding Morphological Diversity of Several Genera of Plant-Parasitic Nematodes: J. D. EISENBACK AND A. RAMMAH	384
Carrot Callus Tissue for Culture of Endoparasitic Nematodes: R. W. REISE, R. N. HUETTEL, AND R. M. SAYRE	387
Selective Migration and Root Penetration by <i>Meloidogyne incognita</i> and <i>Hoplolaimus columbus</i> on Soybean Roots In Vitro: DONNELL W. GUY, JR., AND S. A. LEWIS	390
Key word index	393

Vol. 19, No. 4

October 1987

Stage-specific Population Development and Fecundity of <i>Paratrichodorus minor</i> : S. M. SCHNEIDER AND H. FERRIS	395
Dynamics of the Entomogenous Nematode <i>Steinernema feltiae</i> Applied to Soil with and without Nematicide Treatment: N. ISHIBASHI AND E. KONDO	404
Effect of Quadrat and Core Sizes on Determining the Spatial Pattern of <i>Criconebella sphaerocephalus</i> : T. A. WHEELER, C. M. KENERLEY, M. J. JEGER, AND J. L. STARR	413
<i>Criconebella</i> spp. in Pennsylvania Peach Orchards with Morphological Observations of <i>C. curvata</i> and <i>C. ornata</i> : B. A. JAFFEE, A. P. NYCZEPIR, AND A. M. GOLDEN	420
Effects of Fumigants and Systemic Pesticides on <i>Pratylenchus penetrans</i> and Potato Yield: TH. H. A. OLTTHOF	424
Two-dimensional Protein Patterns in <i>Labronema</i> , <i>Aporcelaimellus</i> , and <i>Eudorylaimus</i> (Nematoda: Dorylaimida): V. R. FERRIS, J. M. FERRIS, L. L. MURDOCK, AND J. FAGHIHI	431
Interaction of <i>Ditylenchus dipsaci</i> and <i>Meloidogyne hapla</i> on Resistant and Susceptible Plant Species: G. D. GRIFFIN	441
Effect of <i>Hirschmanniella caudacrena</i> on the Submersed Aquatic Plants <i>Ceratophyllum demersum</i> and <i>Hydrilla verticillata</i> : KARIN GERBER AND GROVER C. SMART, JR.	447
Control of <i>Pratylenchus penetrans</i> and <i>Meloidogyne hapla</i> and Yield Response of Alfalfa Due to Oxamyl Seed Treatments: J. L. TOWNSHEND AND M. CHIBA	454
Selection Against <i>Heterodera glycines</i> Males by Soybean Lines with Genes for Resistance: V. D. LUEDDERS	459
Production and Partial Characterization of Stylet Exudate from Adult Females of <i>Meloidogyne incognita</i> : J. A. VEECH, J. L. STARR, AND R. M. NORDGREN	463
Ultrastructure of Esophageal Gland Secretory Granules in Juveniles of <i>Heterodera glycines</i> : BURTON Y. ENDO	469
Peanut-Cotton Rotations for the Management of <i>Meloidogyne arenaria</i> : R. RODRÍGUEZ-KÁBANA, H. IVEY, AND P. A. BACKMAN	484
Nutrient Composition of <i>Romanomermis culicivorax</i> in Relation to Egg Production and Metabolism: ROGER GORDON AND MARCEL CORNETT	487
Ecological Study of Nematode Parasitism in <i>Ips</i> Beetles from California and Idaho: HO YUL CHOO, HARRY K. KAYA, PATRICK SHEA, AND E. MAE NOFFSINGER	495

RESEARCH NOTES

Comparative Small-scale Field Application of <i>Steinernema feltiae</i> for Navel Orangeworm Control: J. E. LINDEGREN, F. AGUDELO-SILVA, K. A. VALERO, AND C. E. CURTIS	503
---	-----

Embryonic and Postembryonic Development of <i>Meloidogyne californiensis</i> Abdel-Rahman & Maggenti, 1987: FAWZIA ABDEL-RAHMAN AND A. R. MAGGENTI	505
Abstracts of Papers Presented at the Twenty-sixth Annual Meeting of the Society of Nematologists	509

Information for Contributors

Original papers on basic, applied, descriptive, or experimental nematology are considered for publication. Other categories include research notes (not longer than four pages of copy, including tables and figures); reviews developing new concepts, hypotheses, or theories; and abstracts of papers presented at the annual meetings. At least one author must be a member of the Society of Nematologists.

Manuscripts: All manuscripts will be in English, although abstracts may be in a "congress" language other than English. All copy, including tables, figure legends, and literature citations, should be typed with double spacing on $8\frac{1}{2} \times 11$ -inch manuscript paper with wide margins all around; words must not be broken (hyphenated) at the ends of lines. Authors should have the manuscript critically reviewed by two colleagues whose names should be included in the letter of submission. Three copies (the original and two Xerox or similar quality copies) should be sent to the Editor-in-Chief with the understanding that publication is to be exclusively in the JOURNAL OF NEMATOLOGY. Papers will be reviewed by specialists in the field and edited by selected editorial staff members.

Address: Dr. R. D. Riggs, Editor-in-Chief, JOURNAL OF NEMATOLOGY, 217 Plant Science, University of Arkansas, Fayetteville, AR 72701.

Style: The *CBE Style Manual*, Fifth Edition, and *Webster's Third New International Dictionary* will be guides for form, style, and spelling. Use SI (Système International) units of measurement; if desired, include British and Fahrenheit in parentheses. Author(s) name(s) and page number should appear in the upper right corner of each page. The title page should be numbered 1, the abstract page 2, the first page of text 3, etc.

Title page: Should contain the title, name(s) of author(s), a line over the notation "Received for publication _____"; footnote(s) giving institutional affiliation(s), senior author's address (may be the same), acknowledgments (if any), and, finally, a condensed running head of no more than 60 spaces (including author's last name). The title should utilize strong key words and be brief, preferably not more than 100 spaces. Scientific names of plants and animals should be given. Trade names should not be used in the title.

Abstract page: Should contain an abstract—no more than 1,300 spaces—and key words including those appearing in the title. (See JOURNAL for style.) The abstract serves as the summary.

Body: The body of the manuscript should be organized after the introduction (do not use the word "Introduction") according to "Materials and Methods," "Results," "Discussion," "Literature Cited," "Tables," "Legends for Figures," and "Figures."

Literature citations: Cite by number in parentheses in the text. Under "Literature Cited," list (double spaced) on a separate page alphabetically by senior author and numbered consecutively. Underline scientific names, or type in italics. Each citation should be checked against the original publication to verify author's name, year, title, journal name (or publisher's name and location), volume number, and

inclusive paging. Journal names should be spelled out in full.

Tables: Number (Arabic) each table and place on a separate page with descriptive title at the top. Minimal footnotes should be identified by symbols starting with † as listed in the *CBE Style Manual*. Vertical lines must be avoided. Table dimensions should consider printed page size limitations.

Figures: Number (Arabic) all "Legends for Figures" and type consecutively on a single page. In planning large illustrations, remember that a printed page is 140 mm wide \times 213 mm deep. Make allowances for the legend. Combine and mount several illustrations into composite plates whenever possible. Trim waste from figures and leave a space of 1–2 mm between photographs in a composite. Do not send original illustrations of taxonomic papers until requested, but provide a complete set of figures (photocopies okay) with each copy of each manuscript. Lettering on illustrations should be of high contrast, neat, and at least 1 mm high after final reduction. Identify each figure on the front top right-hand corner with "Nematology," manuscript number, author's name, figure number, and width desired. Number all figures consecutively, e.g., Plate I, Figs. 1, 2, 3; Plate II, Figs. 4, 5, 6; etc. Color illustrations and folded inserts can be printed only if the extra costs are paid for by the author. The original manuscript and figures will not be returned to the author unless requested.

Research notes: Same as for *Manuscripts* except without abstract page. Key words should be included.

Biological nomenclature: Authors should follow the "International Rules of Nomenclature" in naming organisms; each should be identified by genus, species, authority (if applicable), varietal names (in single quotes), breeds, races, and accession numbers. Complete authorities and dates are required in taxonomic papers. All binomials should be underlined or typed in italics, and fully spelled out the first time they are used, either in text, figure captions, or table titles. When new names of nematodes are introduced, the recommendations of the "International Code of Zoological Nomenclature," 1961, should be strictly applied, especially regarding type designation and statements indicating where such type material is deposited.

Chemical nomenclature: Use approved common (generic) names where available; otherwise use capitalized trade names followed by their chemical names. State the concentration of active ingredients. Chemical doses should be reported as amount of active or technical material per unit area, volume, or weight (e.g., 10 ml/1,000 m², 10 μ g/ml, or 10 mg/kg). The chemical formulation should be given and method of application clearly stated.

Publishing page charge: In order to partially cover the cost of publishing manuscripts in the JOURNAL, the Society has established a mandatory charge of \$50 per printed page and \$75 per page, or portion, of half-tones, as it is impossible to meet the demand for journal space without financial assistance.

Reprints: No free copies. Quotation and an order blank for reprints will be sent with the page proofs.